

# *SPEECH AND LANGUAGE*

## Basic Research

Ackermann, H., Graber, S., Hertrich, I., & Daum, I. 1999. Cerebellar contributions to the perception of temporal cues within the speech and nonspeech domain. *Brain & Language*, 67, 228-241.

Andrews, G., Craig, A., & Feyer, A.M. 1983. Stuttering: A review of research findings and theories circa 1982. *Journal of Speech and Hearing Disorders*, 48, 226-246.

Barker D, Plack CJ, Hall DA. 2011. Human auditory cortical responses to pitch and to pitch strength. *Neuroreport*. 22(3), 111-5.

Besson & Schon. 2001. Comparison between language and music. *Annals of the New York Academy of Science*, 930, 232-258.

Bhogal, S.K., Teasell, R., Foley, N.C., & Speechley, M. 2003. Rehabilitation of aphasia: More is better. *Topics in Stroke Rehabilitation*, 10 (2), 66-76.

[Bidelman GM](#), [Gandour JT](#), [Krishnan A](#). 2011. Cross-domain effects of music and language experience on the representation of pitch in the human auditory brainstem. [J Cogn Neurosci](#). 23(2), 425-34.

Brown, S., Martinez, M.J., & Parsons, L.M. (2006). Music and language side by side in the brain: A PET study of the generation of melodies and sentences. *European Journal of Neuroscience*, 23(10), 2791-2803.

Callan, D.E., Tsytsarev, V., Hanakawa, T., Callan, A.M., Katsuhara, M., Fukuyama, H., Turner, R. 2006. Song and speech: brain regions involved with perception and covert production. *Neuroimage*, 31(3), 1327-42.

Cason N, Schön D. 2012. Rhythmic priming enhances the phonological processing of speech. *Neuropsychologia*. 50(11),2652-8.

Cedolin L, Delgutte B. 2010. Spatiotemporal representation of the pitch of harmonic complex tones in the auditory nerve. *J Neurosci*. 30(38),12712-24.

Ceponiene, R., Lepisto, T., Shestakova, A., Vanhala, R., Alku, P., Naatanen, R., & Yaguchi, K. 2003. Speech-sound-selective auditory impairment in children with autism: They can perceive but do not attend. *Proceedings of the National Academy of Sciences of the United States of America*, 100 (9), 5567-5572.

Crystal, D. 1980. *Introduction to Language Pathology*. Baltimore, MD: University Park Press.

Cummins, F. 2009. Rhythm as an affordance for the entrainment of movement. *Phonetica*, 66, 15-28.

Cutter, A. 1994. The perception of rhythm in language. *Cognition*, 50, 79-81.

De Stewart, B.J., Willemse, S.C., Maassen, B.A., & Horstink, M.W. 2003. Improvement of voicing in patients with Parkinson's disease by speech therapy. *Neurology*, 60 (3), 498-500.

Duffy, J.R. 1995. Managing the dysarthrias. *Motor Speech Disorders: Substrates, Differential Diagnosis, and Management* (pp. 389-416). St. Louis, MO: Mosby.

Dworkin, J.P., Abkarian, G.G., & Johns, D.F. 1988. Apraxia of speech: The effectiveness of a treatment regiment. *Journal of Speech and Hearing Disorders*, 53, 280-294.

Dworkin, J.P. & Abkarian, G.G. 1996. Treatment of phonation in a patient with apraxia and dysarthria secondary to severe closed head injury. *Journal of Medical Speech Language Pathology*, 4, 105-115.

Echols, C. 1997. The perception of rhythmic units in speech by infants and adults. *Journal of Memory and Language*, 36, 202-226.

Geisre, E., Ziegler, E., Jancke, L. & Meyer, M. 2009. Early electrophysiological correlates of meter and rhythm processing in music perception. *Cortex*, 45, 93-102.

Gfeller, K.E. & Schum, R. 1994. Requisites for conversation: Engendering world knowledge. In N. Tye-Murray (Ed.), *Let's converse: A "How-To" Guide to Develop and Expand Conversational Skills of Children and Teenagers who are Hearing Impaired*. Washington, DC: Alexander Graham Bell Association.

Grela, B. & Gandour, J. 1998. Locus of functional impairment in the production of speech rhythm after brain damage: A preliminary study. *Brain and Language*, 64, 361-377.

Goswami U, Huss M, Mead N, Fosker T, Verney JP. 2012. Perception of patterns of musical beat distribution in phonological developmental dyslexia: Significant longitudinal relations with word reading and reading comprehension. *Cortex*. May 23. [Epub ahead of print]

Hebert, S., Racette, A., Gagnon, L., & Peretz, I. 2003. Revisiting the dissociation between singing and speaking in expressive aphasia. *A Journal of Neurology*, 126 (8), 1838-1851.

Homae F, Watanabe H, Nakano T, Taga G. 2012. Functional development in the infant brain for auditory pitch processing. *Hum Brain Mapp*. 33(3), 596-608.

Jeffery, D.R. & Good, D.C. 1995. Rehabilitation of the stroke patient. *Current Opinion in Neurology*, 8, 62-68.

Jeffries, K.J., Fritz, J.B., & Braun, A.R. 2003. Words in melody: and H(2)15O PET study of brain activation during singing and speaking. *Neuroreport*, 14 (5), 749-754.

Jentschke, S., Koelsch, S., Friederici, A.D. 2005. Investigating the relationship of music and language in children: Influences of musical training and language impairment. *Annals of the New York Academy of Sciences*, 1060, 231-42.

Kolinsky, R., Lidji, P., Peretz, I., Besson, M., & Morais, J. 2009. Processing interactions between phonology and melody: vowels sing but consonants speak. *Cognition*, 112, 1-20.

Legg, R. (2009). Using music to accelerate language learning: An experimental study. *Research in Education*, 82(1), 1-12.

Loui P, Kroog K, Zuk J, Winner E, Schlaug G. 2011. Relating Pitch awareness to Phonemic Awareness in Children: Implications for Tone-Deafness and Dyslexia. *Frontal Psychology*. 2, 111.

Loui, P., Wessel, D. L., & Hudson Kam, C. L. (2010). Humans Rapidly Learn Grammatical Structure in a New Musical Scale. *Music Perception*, 27(5), 377-388.

McAuley JD, Henry MJ, Tkach J. 2012. Tempo mediates the involvement of motor areas in beat perception. *Ann N Y Acad Sci*. Apr (1252),77-84.

Mehler, J., Sebastian, N., Altmann, G., Dupoux, E., Christophe, A., & Pallier, C. 1993. Understanding compressed sentences: The role of rhythm and meaning. *Annals. New York Academy of Sciences*, 682, 272-282.

Mizener, C. (2008). Enhancing language skills through music. *General Music Today*, 21(2), 11-17.

Moreno, S., Besson, M. 2006. Musical training in language related brain electrical activity in children. *Psychophysiology*, 43 (3), 287-91.

Musacchia, G., Sams, M., Skoe, E., Kraus, N. 2007. Musicians have enhanced subcortical auditory and audiovisual processing of speech and music. *Proceedings of the National Academy of Sciences*, September. [E-Publication]

Natke, U., Donath, T.M., Kalveram, K.T. 2003. Control of voice fundamental frequency in speaking versus singing. *Journal of the Acoustical Society of America*, 113 (3), 1587-1593.

Nicholson, Baum, Kilgour, Koh, Munhall & Cuddy. 2003. Impaired processing of prosodic and musical patterns after right hemisphere damage. *Brain and Cognition*, 52, 382-389.

[Patel AD. 2011. Why would Musical Training Benefit the Neural Encoding of Speech? The OPERA Hypothesis. \*Front Psychol.\* 2,142.](#)

Patel, A.D., Iversen, J.R., Wassenaar, M. & Hagoort, P. 2008. Musical syntactic processing in agrammatic Broca's aphasia. *Aphasiology*, 22, 776-789.

Patel, A.D. 2003. Rhythm in language and music: Parallels and differences. *Annals of the New York Academy of Sciences*, 999, 140-143.

Patel, A.D., Gibson, E., Ratner, J., Besson, M., & Holcomb, P.J. 1998. Processing syntactic relations in language and music: An event-related potential study. *Journal of Cognitive Neuroscience*, 10, 717-733.

Patel, A.D., Peretz, I., Tramo, M., Labreque, R. 1998. Processing prosodic and musical patterns: A neuropsychological investigation. *Brain and Language*, 61, 123-145.

Perkins, W.H. 2001. Stuttering: A matter of bad timing. *Science*, 294 (5543), 786.

- Pitt, M.A. & Samuel, A.G. 1990. The use of rhythm in attending to speech. *Journal of Experimental Psychology: Human Perception and Performance*, 16, 564-573.
- Premack, D. 2004. Psychology: Is language the key to human intelligence? *Science-New York Times*, 318-319.
- Ramig, L.O., Bonitati, C.M., Lemke, J.H., & Horii, Y. 1994. Voice treatment for patients with Parkinson's disease: Development of an approach and preliminary efficacy data. *Journal of Medical Speech-Language Pathology*, 2, 191-209.
- Robin, D., Tranel, D., & Damasio, H. 1990. Auditory perception of temporal and spectral events in patients with focal left and right cerebral lesions. *Brain and Language*, 39, 539-555.
- Ross, D., Choi, J., Purves, D. 2007. Musical intervals in speech. *Proceedings of the National Academy of Sciences of the United States of America*, 104 (23), 9852-7.
- Roux, F.E., Borsa, S. & Demonet, J.F. 2009. "The mute who can sing": a cortical stimulation study on singing. *Journal of Neurosurgery*, 110, 282-288.
- Saffran, J.R. 2003. Musical learning and language development. *Annals of the New York Academy of Sciences*, 999, 397-401.
- Sammler D, Koelsch S, Ball T, Brandt A, Grigutsch M, Huppertz HJ, Knösche TR, Wellmer J, Widman G, Elger CE, Friederici AD, Schulze-Bonhage A. 2012. Co-localizing linguistic and musical syntax with intracranial EEG. *Neuroimage*. 2012 Sep 20. [Epub ahead of print]
- [Sammler D](#), [Koelsch S](#), [Friederici AD](#). 2011. Are left fronto-temporal brain areas a prerequisite for normal music-syntactic processing? *Cortex*. 47(6), 659-73.
- [Schön D](#), [Gordon R](#), [Campagne A](#), [Magne C](#), [Astésano C](#), [Anton JL](#), [Besson M](#). 2010. Similar cerebral networks in language, music and song perception. *Neuroimage*. 51(1),450-61.
- Shtyrov, Y., Kujala, T., Ilmoniemi, R.J., & Naatanen, R. 1999. Noise affects speech-signal processing differently in the cerebral hemispheres. *Neuroreport*, 10, 2189-2192.
- Smith, A. & Denny, M. 1990. High-frequency oscillations as indicators of neural control mechanisms in human respiration, mastication, and speech. *Journal of Neurophysiology*, 63, 645-758.
- Snyder, J.S., Large, E.W. 2004. Tempo dependence of middle and long-latency auditory responses: power and phase modification of the EEG at multiple time-scales. *Clinical Neurophysiology*, 115(8), 1885-95.
- Sparing, R., Meister, I.G., Wienemann, M., Buelte, D., Staedtgen, M. & Boroojerdi, B. 2007. Task-dependent modulation of functional connectivity between hand motor cortices and neuronal networks underlying language and music: a transcranial magnetic stimulation study in humans. *European Journal of Neuroscience*, 25, 319-323.

- Steinke, Cuddy & Jalobson. 2001. Dissociations among functional subsystems governing melody recognition after right-hemisphere damage. *Cognitive Neuropsychology*, 18 (5), 411-437.
- Tallal, P., Gaab, N. 2006. Dynamic auditory processing, musical experience and language development. *Trends in Neurosciences*, 29 (7), 382-90.
- Tervaniemi, M., Szameitat, A.J., Kruck, S., Schroger, E., Alter, K., De Baene, W., Friederici, A.D. 2006. From air oscillations to music and speech: functional magnetic resonance imaging evidence for fine-tuned neural networks in audition. *Journal of Neuroscience*, 26(34), 8647-52.
- Thaut, M.H. 1999. *Training Manual for Neurologic Rehabilitation*. Colorado State University: Center for Biomedical Research in Music.
- Thaut, M.H., Nickel, A., & Hoemberg, V. 2004. Neurologic music therapy: Compendium of scientific background and clinical methodology. *Musiktherapeutische Umschau*, 25, 35-44. [In German]
- Weiss, S. & Rappelsberger, P. 1997. Left frontal EEG coherence reflects modality independent language processes. *Brain Topography*, 11, 33-42.
- Wise, R.J.S., Greene, J., Buchel, C., & Scott, S.K. 1999. Brain regions involved in articulation. *Lancet*, 353, 1057-1061.
- Wong, P.C., Skoe, E., Russo, N.M., Dees, T., Kraus, N. 2007. Musical experience shapes human brainstem encoding of linguistic pitch patterns. *National Neuroscience*, March. [E-Publication]
- Yelle, S.K. & Grimshaw, G.M. 2009. Hemispheric specialization for linguistic processing of sung speech. *Perceptual & motor skills*, 108, 219-228.
- Zatorre RJ, Baum SR. 2012. Musical melody and speech intonation: singing a different tune. *PLoS Biol.* 10(7), e1001372.