SPEECHANDLANGUAGE

Clinical Research

Albert, M., Sparks, R., & Helm, N. 1973. Melodic intonation therapy for aphasics. Archives of Neurology, 29, 130-131.

American Academy of Neurology, Therapeutics and Technology Assessment Subcommittee. 1994. Assessment: Melodic intonation therapy. Neurology, 44, 566-568.

Amir, D., & Schuchman, G. (1985). Auditory training through music with hearing-impaired preschool children. *The Volta Review*, 87(7), 333-343.

Baker, F., Wigram, T., Gold, C. 2005. The effects of song-singing programme on the affective speaking intonation of people with traumatic brain injury. Brain Injury, 19(7), 519-28.

Bang, C. 1980. A world of sound and music. Journal of the British Association for Teachers of the Deaf, 4, 1-10.

Basso, A., Capitani, E., & Vignolo, L.A. 1979. Influence of rehabilitation on language skills in aphasic patients. Archives of Neurology, 36, 190-196.

Belin, P., Van Eeckhout, P., Zilbovicius, M., Remy, P., Francois, C., Guillaume, S., Chain, F., Rancurel, G., & Sampson, Y. 1996. Recovery from nonfluent aphasia after melodic intonation therapy. Neurology, 47, 1504-1511.

Bellaire, K., Yorkston, K.M., & Beukelman, D.R. 1986. Modification of breath patterning to increase naturalness of a mildly dysarthric speaker. Journal of Communication Disorders, 19, 271-280.

Berlin, C.I. 1976. On: Melodic intonation therapy for aphasia by R.W. Sparks and A.L. Holland. Journal of Speech and Hearing Disorders, 41, 298-300.

Bonakdarpour, B., Eftekharzadeh, A., & Ashayeri, H. 2003. Melodic Intonation Therapy with Persian aphasic patients. Aphasiology, 17, 75-95.

Boucher, V., Garcia, J.L., Fleurant, J., & Paradis, J. 2001. Variable efficacy of rhythm and tone in melody-based interventions: Implications of the assumption of a right-hemisphere facilitation in non-fluent aphasia. Aphasiology, 15 (2), 131-149.

Breier, J. I., Randle, S., Maher, L. M., & Papanicolaou, A. C. (2010). Changes in maps of language activity activation following melodic intonation therapy using magnetoencephalography: Two case studies. *Journal Of Clinical And Experimental Neuropsychology*, 32(3), 309-314

Brendal, B. & Ziegler, W. 2008. Effectiveness of metrical pacing in the treatment of apraxia of speech. Aphasiology, 22 (1), 1-26.

Brockmeier, S.J., Grasmeder, M., Passow, S., Mawmann, D., Vischer, M., Jappel, A., Baumgartner, W., Stark, T., Muller, J., Brill, S., Steffens, T., Strutz, J., Kiefer, J., Baumann, U., Arnold, W. 2007. Comparison of musical activities of cochlear implant users with different speech-coding strategies. Ear and Hearing, 28 (2 Suppl), 49S-51S.

Buday, E.M. 1995. The effects of signed and spoken words taught with music on sign and speech imitation by children with autism. Journal of Music Therapy, 32 (3), 189-202.

Caligiuri, M.P. 1989. The influence of speaking rate on articulatory hypokinesia in Parkinsonian dysarthria. Brain and Language, 36, 1493-1502.

Cohen, N.S. 1988. The use of superimposed rhythm to decrease the rate of speech in a brain-damaged adolescent. Journal of Music Therapy, 25, 85-93.

Cohen, N.S. 1995. The effect of vocal instruction and Visi-Pitch [™] feedback on the speech of persons with neurogenic communication disorders: Two case studies. Music Therapy Perspectives, 13, 70-75.

Colcord, R.D. & Adams, M.R. 1979. Voicing duration and vocal SPL changes associated with stuttering reduction during singing. Journal of Speech and Hearing Research, 22 (3), 468-479.

Conklyn D, Novak E, Boissy A, Bethoux F, Chemali K. (2012). The Effects of Modified Melodic Intonation Therapy on Non-Fluent Aphasia-A Pilot Study. *J Speech Lang Hear Res*. 2012 Mar 12.

Corriveau, K.H. & Goswami, U. 2009. Rhythmic motor entrainment in children with speech and language impairments: tapping to the beat. Cortex, 45, 119-130.

Darrow, A.A. & Cohen, N.S. 1991. The effect of programmed pitch practice and private instruction on the vocal reproduction accuracy of hearing-impaired children: Two case studies. Music Therapy Perspectives, 9, 61-65.

Darrow, A.A. & Starmer, G.J. 1986. The effect of vocal training on the intonation and rate of hearing-impaired children's speech: A pilot study. Journal of Music Therapy, 23, 194-201.

Davis, W.B., Gfeller, K., & Thaut, M.H. 1992 (1998, 2nd ed.). An Introduction to Music Therapy: Theory and Practice. Dubuque, IA: Wm. C. Brown Publishers. (Japanese Language Edition, 1997. Sapporo, Japan: Ichibaku Shuppansya Publishing.) (Spanish Language Edition, 2000) (Korean Language Edition, 2002)

François C, Chobert J, Besson M, Schön D. 2012. Music Training for the Development of Speech Segmentation. *Cereb Cortex*. Jul 10. [Epub ahead of print].

Galloway, H.F. 1975. Music and the speech handicapped. In R.M. Graham (Ed.), Music for the Exceptional Child (pp. 15-47). Reston, VA: MENC.

Gaston, E.T. (Ed.). 1968. Music in Therapy. New York, NY: MacMillan Co.

Gfeller, K.E. & Baumann, A.A. 1988. Assessment procedures for music therapy with hearing-impaired children: Language development. Journal of Music Therapy, 25, 192-205.

Gfeller, K.E. & Darrow, A.A. 1987. Music as a remedial tool in the language education of hearing-impaired children. The Arts in Psychotherapy, 14, 229-235.

Glover, H., Kalinowski, J., Rastatter, M., & Stuart, A. 1996. Effect of instruction to sing on stuttering frequency at normal and fast rates. Perceptual and Motor Skills, 83, 511-522.

Goldfarb, R. & Bader, E. 1979. Espousing melodic intonation therapy in aphasia rehabilitation: A case study. International Journal of Rehabilitation Research, 2, 333-342.

Groß W, Linden U, Ostermann T. 2010. Effects of music therapy in the treatment of children with delayed speech development - results of a pilot study. *BMC Complementary and Alternative Medicine*. 10,39.

Hammen, V.L. & Yorkston, K.M. 1996. Speech and pause characteristics following speech rate reduction in hypokinetic dysarthria. Journal of Communication Disorders, 29, 429-445.

Hammen, V.L., Yorkston, K.M., & Minifie, F.D. 1994. Effects of temporal alterations on speech intelligibility in Parkinsonian dysarthria. Journal of Speech and Hearing Research, 37, 244-253.

Haneishi, E. 2001. Effects of a music therapy voice protocol on speech intelligibility, vocal acoustic measures, and mood of individuals with Parkinson's disease. Journal of Music Therapy, 38 (4), 273-290.

Healey, E.C., Mallard, A.R., & Adams, M.R. 1976. Factors contributing to the reduction of stuttering during singing. Journal of Speech and Hearing Research, 19, 475-480.

Helfrich-Miller, K.R. 1984. Melodic intonation therapy with developmentally apraxic children. Seminars in Speech and Language, 5, 119-126.

Helfrich-Miller, K.R. 1994. A clinical perspective: Melodic Intonation Therapy for developmental apraxia. Clinics in Communication Disorders, 4 (3), 175-182.

Hough, M. (2010). Melodic intonation therapy and aphasia: Another variation on a theme. *Aphasiology*, 24(6-8), 775-786.

Hurt-Thaut, C.P. & Johnson, S.B. 2003. Neurologic music therapy with children: Scientific foundations and clinical applications. In S.L. Robb (Ed.), Music Therapy in Pediatric Healthcare: Research and Evidence-Based Practice (pp. 81-100). Silver Spring, MD: American Music Therapy Association, Inc.

Huss M, Verney JP, Fosker T, Mead N, Goswami U. 2011. Music, rhythm, rise time perception and developmental dyslexia: perception of musical meter predicts reading and phonology. *Cortex*. 47(6),674-89.

Jackson, S.A. Treharne, D.A., & Boucher, J. 1997. Rhythm and language in children with moderate learning difficulties. European Journal of Disorders of Communication, 32 (1), 99-108.

Jeffries, K., Fritz, J., & Braun, A. 2003. Words in melody: An $H_2^{15}O$ PET study of brain activation during singing and speaking. NeuroReport, 14 (5), 749-754.

Jentschke, S., Koelsch, S., Sallat, S. & Friederici, A.D. 2008. Children with specific language impairment also show impairment of music-syntactic processing. Journal of Cognitive Neuroscience, 20, 1940-1951.

Johansson, K. et al. (2011). Effects of glossopharyngeal breathing on voice in cervical spinal cord injuries. *International Journal of Therapy and Rehabilitation*, 18(9), 501-512.

Jungblut M, Huber W, Pustelniak M, Schnitker R. 2012. The impact of rhythm complexity on brain activation during simple singing: an event-related fMRI study. *Restor Neurol Neurosci*. 30(1),39-53.

Keith, R. & Aronson, A. 1975. Singing as therapy for apraxia of speech and aphasia: Report of a case. Brain and Language, 2, 483-488.

Kern, P., Wolery, M., & Aldridge, D. 2007. Use of songs to promote independence in morning greeting routines for young children with autism. Journal of Autism and Developmental Disorders, 37 (7), 1264-1271.

Krauss, T. & Galloway, H. 1982. Melodic Intonation Therapy with language delayed apraxic children. Journal of Music Therapy, 19 (2), 102-113.

Lucia, C.M. 1987. Toward developing a model of music therapy intervention in the rehabilitation of head trauma patients. Music Therapy Perspectives, 62, 34-39.

Magee, W.L., Brumfitt, SM., Freeman, M., Davidson, JW. 2006. The role of music therapy in an interdisciplinary approach to address functional communication in complex neuro-communication disorders: a case report. Disability & Rehabilitation, 28(19), 1221-9.

Marion, M., Sussman, H., & Marquardt, T. 1993. The perception and production of rhyme in normal and developmentally apraxic children. Journal of Communication Disorders, 26, 129-160.

Martens MA, Jungers MK, Steele AL. 2011. Effect of musical experience on verbal memory in William's syndrome: evidence from a novel word learning task. Neuropsychologia. 49(11), 3093-102.

Max, L., Yudman, Elana A. 2003. Accuracy and Variability of Isochronous Rhythmic Timing Across Motor Systems In Stuttering versus Nonstuttering Individuals. Journal of Speech Language and Hearing Research, 46(1): 146-63, 2003.

Milovanov, R., Huotilainen, M., Valimaki, V., Esquef, PA, Tervaniemi, M. 2007. Musical aptitude and second language pronunciation skills in school-aged children: Neural and behavioral evidence. Brain Research. (E-Publication).

Moreno, S. (2009). Can music influence language and cognition? *Contemporary Music Review*, 28(3), 329-345.

Naeser, M.A. & Helm-Estabrooks, N. 1985. CT scan lesion localization and response to Melodic Intonation Therapy with nonfluent aphasia cases. Cortex, 21, 203-223.

Norton, A., Zipse, L., Marchina, S. & Schlaug, G. 2009. Melodic Intonation therapy: Shared insights on how it is done and why it might help. Annals of the New York Academy of Sciences, 1169, 431-436.

Overy, K. 2003. Dyslexia and music: From timing deficits to musical interventions. Annals of the New York Academy of Sciences, 999, 497-505.

Overy, K., Nicolson, R.I., Fawcett, A.J., & Clarke, E.F. 2003. Dyslexia and music: Measuring musical timing skills. Dyslexia, 9 (1), 18-36.

Overy, K., Norton, A.C., Ozdemir, E., Helm-Estabrooks, N., & Schlaug, G. 2004. Activation of the left anterior inferior frontal gyrus after melodic intonation therapy in a Broca's aphasia patient. Proceedings Society for Neuroscience, 595.7. [Abstract]

Ozdemir, E., Norton, A., Schlaug, G. 2006. Shared and distinct neural correlates of singing and speaking. Neuroimage, 33 (2), 628-35.

Patel, AD. 2005. The relationship of music to the melody of speech and to synactic processing disorders in aphasia. Annals of the New York Academy of Sciences, 1060, 59-70.

Peter, B., Stoel-Gammon, C. 2005. Timing errors in two children with suspected childhood apraxia of speech (sCAS) during speech and music-related tasks. Clinical Linguistics & Phonetics, 19(2), 67-87.

Pillot, C. & Vaissiere, J. 2006. [Vocal effectiveness in speech and singing: acoustical, physiological and perceptive aspects. Applications in speech therapy.] Revue de Laryngologie Otologie Rhinologie, 127, 293-298.

Pilon, M.A., McIntosh, K.W., & Thaut, M.H. 1998. Auditory versus visual speech timing cues as external rate control to enhance verbal intelligibility in mixed spastic-ataxic dysarthric speakers: A pilot study. Brain Injury, 12 (9), 793-803.

Popovici, M. 1995. Melodic intonation therapy in the verbal decoding of aphasics. Revue Roumaine de Neurologie et Psychiatrie, 33, 57-97.

Racette, A., Bard, C., Peretz, I. 2006. Making non-fluent aphasics speak: sing along! Brain, 129, 2571-84.

Riecker, A., Wildgruber, D., Dogil, G., Grodd, W., & Ackermann, H. 2002. Hemispheric lateralization effects of rhythm implementation during syllable repetitions: An fMRI study. NeuroImage, 16, 169-176.

Rinta. T. & Welch, G.F. 2008. Should singing activities be included in speech and voice therapy for prepubertal children? Journal of Voice, 22, 100-112.

Robb, S.L. (Ed.) 2003. Music Therapy in Pediatric Healthcare: Research and Evidence-Based Practice. Silver Spring, MD: American Music Therapy Association, Inc.

<u>Saylor S, Sidener TM, Reeve SA, Fetherston A, Progar PR</u>. 2012. Effects of three types of noncontingent auditory stimulation on vocal stereotypy in children with autism. <u>J Appl Behav Anal.</u> 45(1),185-90.

Schlaug, G., Marchina, S., & Norton, A. 2008. From singing to speaking: Why singing may lead to recovery of expressive language function in patients with Broca's Aphasia. Music perception, 25, 315-323.

Schlaug, G., Marchina, S. & Norton, A. 2009. Evidence for plasticity in white-matter tracts of patients with chronic Broca's aphasia undergoing intense intonation-based speech therapy. Annals of the New York Academy of Sciences. Annals of the New York Academy of Sciences. 1169, 385-394.

Schon, D., Boyer, M., Moreno, S., Besson, M., Peretz, I., Kolinsky R. 2007. Songs as an aid for language acquisition. Cognition. [E-Publication]

Sears, W. 1968. Processes in music therapy. In E.T. Gaston (Ed.), Music in Therapy (pp. 30-44). New York, NY: MacMillan Co.

Seki, K., Sugishita, M. 1983. Japanese-Applied Melodic Intonation Therapy for Broca Aphasia. Brain and Nerve (No to Shinkei), 35 (10): 1031-7.

Shane, H.C. & Darley, F.L. 1978. The effect of auditory rhythmic stimulation on articulatory accuracy in apraxia of speech. Cortex, 14 (3), 444-450.

Sparks, R.W. & Deck, J.W. 1994. Melodic Intonation Therapy. In R. Chapey (Ed.), Language Intervention Strategies in Adult Aphasias. Baltimore, MD: Williams & Wilkins, 368-386.

Sparks, R.W., Helm, N., & Albert, M. 1974. Aphasia rehabilitation resulting from melodic intonation therapy. Cortex, 10, 313-316.

Sparks, R.W. & Holland, A.L. 1976. Method: Melodic intonation therapy for aphasia. Journal of Speech and Hearing Disorders, 41, 298-300.

Speedie, L.J., Brake, N., Folstein, S.E., Bowers, D., & Heilman, K.M. 1990. Comprehension of prosody in Huntington's disease. Journal of Neurology, Neurosurgery, and Psychiatry, 53, 607-610.

Stahl B, Kotz SA, Henseler I, Turner R, Geyer S. 2011. Rhythm in disguise: why singing may not hold the key to recovery from aphasia. *Brain*. 134(10), 3083-3093.

Stewart, L., Walsh, V., Frith, U., & Rothwell, J. 2001. Transcranial magnetic stimulation produces speech arrest but not song arrest. Annals of the New York Academy of Sciences, 930, 433-435.

Straube, T., Schulz, A., Geipel, K., Mentzel H.J., & Miltner, W.H. 2008. Dissociation between singing and speaking in expressive aphasia: the role of song familiarity. Neuropsychologia, 46, 1505-1512.

Tamplin J, Baker FA, Grocke D, Brazzale DJ, Pretto JJ, Ruehland WR, Buttifant M, Brown DJ, and Berlowitz DJ. (2012). The effect of singing on respiratory function, voice, and mood following quadriplegia: a randomized controlled trial. *Arch Phys Med Rehabil*. pii: S0003-9993 (12) 01060-X.

Tamplin, J. 2008. A pilot study into the effect of vocal exercises and singing on dysarthric speech. Neurorehabilitation, 23 (3), 207-216.

Tautscher-Basnett, A., Tomantschger, V., Keglevic, S., & Freimuller, M. (2006). Group therapy for individuals with Parkinson disease (PD) focusing on voice strengthening. Proceedings of the 4th World Congress for Neurorehabilitation, P1-054.

Thaut, M.H., McIntosh, K.H., McIntosh, G.C., & Hoemberg, V. 2001. Auditory rhythmicity enhances movement and speech motor control in patients with Parkinson's disease. Functional Neurology, 16, 163-172.

Thulborn, K. R., Carpenter, P. A., Just, M. A. 1999. Plasticity of language-related brain function during recovery from stroke. Stroke, 30 (4), 749-754.

Ulbrich, P., Fink, M., Churan, J. & Wittmann, M. (2006). Training of temporal-order perception in aphasia: Preliminary results. Proceedings of the 4th World Congress for Neurorehabilitation, P2-094.

Vines BW, Norton AC, Schlaug G. (2011). Non-Invasive Brain Stimulation Enhances the Effects of Melodic IntonationTherapy. *Frontiers in Psychology*. 2, 230.

Wambaugh, J.L. & Martinez, A.L. 2000. Effects of rate and rhythm control treatment on consonant production accuracy in apraxia of speech. Aphasiology, 14 (8), 851-871.

Wan, C. et al. (2010). The therapeutic effects of singing in neurological disorders. *Music Perception*, 27(4), 287-295.

Wan, C. et al. (2011b). The therapeutic effects of singing in neurological disorders. *Music Perception*, 27(4), 287-295.

Wan, C. et al. (2011a). Auditory-motor mapping training as an intervention to facilitate speech output in non-verbal children with autism: a proof of concept study. *PloS ONE*, 6(9), 1-7.

Warren, J.D., Warren, J.E., Fox, N.C., & Warrington, E.K. 2003. Nothing to say, something to sing: Primary progressive dynamic aphasia. Neurocase, 9, 140-153.

Wiens ME, Reimer MA, Lindsay Guyn H. 1999. Music therapy as a treatment method for improving respiratory muscle strength in patients with advanced multiple sclerosis: a pilot study. Rehabilitation Nursing, 24, 74-80

Wilson, S.J. 2006. Preserved Singing in Aphasia: A Case Study of the Efficacy of Melodic Intonation Therapy. Music Perception, 24(1), 23-36.

Yamadori, A., Osumi, Y., Masuhara, S., & Okubo, M. 1977. Preservation of singing in Broca's aphasia. Journal of Neurology, Neurosurgery and Psychiatry, 40 (3), 221-224.

Yamaguchi S, Akanuma K, Hatayama Y, Otera M, Meguro K. 2012. Singing therapy can be effective for a patient with severe nonfluent aphasia. *Int J Rehabil Res.* 35(1),78-81.

Yorkston, K.M. & Beukelman, D.R. 1981. Ataxic dysarthria: Treatment consequences based on intelligibility and prosodic considerations. Journal of Speech and Hearing Disorders, 46, 398-404.

Yorkston, K.M., Beukelman, D.R., & Bell, K.R. 1988. Clinical Management of Dysarthric Speakers. San Diego, CA: College-Hill Press.

Yorkston, K.M., Hammen, V.L., Beukelman, D.R., & Traynor, C.D. 1990. The effect of rate control on the intelligibility and naturalness of dysarthric speech. Journal of Speech and Hearing Disorders, 55, 550-560.

Zipse L, Norton A, Marchina S, Schlaug G. 2012. When right is all that is left: plasticity of right-hemisphere tracts in a young aphasic patient. *Ann N Y Acad Sci.* Apr(1252), 237-45.